




NTN 607 YRX 19x34x11mm Double Row  
Eccentric Bearing



Bearing No. 607

607 Bearing 2D drawings and 3D CAD models

Size	7x19x6 mm
Bore Diameter	7 mm
Outer Diameter	19 mm
Width	6 mm
d	7 mm
D	19 mm
B	6 mm
C	6 mm
r min.	0,3 mm
da min.	9 mm
da max	10,4 mm
Da max.	17 mm
ra max.	0,3 mm
Weight	8 Kg
Basic dynamic load rating (C)	2,24 kN
Basic static load rating (C0)	0,91 kN
(Grease) Lubrication Speed	34 000 r/min
(Oil) Lubrication Speed	40 000 r/min
rs min	0.3 mm
Radial clearance class	CN
Mass	0.008 kg
Dynamic load, C	2.24 kN
Static load, C0	0.91 kN
Fatigue limit load, Cu	0.04 kN
f0	12.9



## Toyana GmbH

Nlim (oil)	40,000 rpm
Nlim (grease)	34,000 rpm
Min operating temperature, Tmin	-20 ° C
Max operating temperature, Tmax	120 ° C
da min	9 mm
Da max	17 mm
ra max	0.3 mm
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0.008
Product Group	B00308
Enclosure	Open
Precision Class	ABEC 1   ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	7MM Bore; 19MM Outside Diameter; 6MM Outer Race Diameter; Open; Ball Bearing; ABEC 1   ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68



## Toyana GmbH

Noun	Bearing
Keyword String	Ball
Manufacturer URL	<a href="http://www.snrbearings.com">http://www.snrbearings.com</a>
Manufacturer Item Number	607
Weight / LBS	0.018
Bore	0.276 Inch   7 Millimeter
Outer Race Width	0.236 Inch   6 Millimeter
Outside Diameter	0.748 Inch   19 Millimeter